

	YES Full compatibility Materials that passed the testing protocols with no negative impact OR materials that have not been tested (yet), but are known to be acceptable in PO recycling	CONDITIONAL Limited compatibility Materials that passed the testing protocols if certain conditions are met OR materials that have not been tested (yet), but pose a low risk of interfering with PO recycling	NO Low compatibility Materials that failed the testing protocols OR materials that have not been tested (yet), but pose a high risk of interfering with PO recycling
Container	PE-LD; PE-HD; PP with density <1 g/cm ³	PP+PE	PET+PE; PET+PP polyonefic combination with density >1g/cm ³
Colours	colourless	light or translucent colours/prints covering no more than 30% of the packaging surface	opaque colours/prints, carbon black/prints, colours/prints covering no more than 30% of the packaging surface
Barrier	additives compatible with package body polymer	EVOH	PA; PVDC
Additives	additives which do not increase the density of the polymer by more than 4%		additives which increase the density of the polymer by more than 4%
Closure Systems	same material as body	PE on PP body; PP on PE body	any other
Lids	same material as body	PE on PP body; PP on PE body; removable aluminium fasteners	any other
Labels	similar material to body with light non-covering colours/packaging surfaces	not covering more than 30% of body; made of PE on PP body; labels made from material combinations with density >1 g/cm ³	any other labels/sleeves covering more than 30% of body surface; in mould labels labels made from material combinations with density less than <1 g/cm ³ with body colours
Adhesives	water soluble (less than 60°C)	hot-melts; pressure-sensitive labels	self-adhesive labels; not water soluble
Inks	non toxic - follow EUPIA Guidelines		inks that bleed; toxic or hazardous inks
Direct Printing	laser marked	production or expiry date	any other direct printing